

EXHIBIT B

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
aaa accounting	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	aaa accounting	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
aaa accounting dot1x	IOS XE 3.5; NX-OS 4.0 through 6.2	aaa accounting dot1x	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
aaa authentication login	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	aaa authentication login	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
aaa authorization config-commands	Cisco IOS 11.2 through 15.4; IOS XE 3.5	aaa authorization config-commands	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
aaa authorization console	Cisco IOS 12.0 through 15.4; IOS XE 3.5	aaa authorization console	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
aaa group server radius	Cisco IOS 12.0 through 15.4; IOS XR 3.2 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	aaa group server radius	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
aaa group server tacacs+	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	aaa group server tacacs+	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
address-family	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	address-family	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
aggregate-address	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1; NX-OS 4.0 through 6.2	aggregate-address	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
area default-cost	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	area default-cost (OSPFv2)	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
area default-cost	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	area default-cost (OSPFv3)	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
area nssa	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	area nssa (OSPFv2)	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
area nssa	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	area nssa (OSPFv3)	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
area nssa default-information-originate	Cisco IOS 11.0 through 15.4; NX-OS 4.0 through 6.2	area nssa default-information-originate (OSPFv2)	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
area nssa default-information-originate	Cisco IOS 11.0 through 15.4; NX-OS 4.0 through 6.2	area nssa default-information-originate (OSPFv3)	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
area nssa no-summary	Cisco IOS 11.0 through 15.4; NX-OS 4.0 through 6.2	area nssa no-summary (OSPFv2)	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
area nssa translate type7 always	Cisco IOS 15.1 through 15.4; NX-OS 4.0 through 6.2	area nssa translate type7 always (OSPFv2)	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
area nssa translate type7 always	Cisco IOS 15.1 through 15.4; NX-OS 4.0 through 6.2	area nssa translate type7 always (OSPFv3)	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
area range	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	area range (OSPFv2)	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
area range	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	area range (OSPFv3)	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
area stub	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	area stub (OSPFv2)	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
area stub	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	area stub (OSPFv3)	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
arp timeout	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	arp timeout	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
banner login	Cisco IOS 11.1 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	banner login	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
banner motd	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1; NX-OS 4.0 through 6.2	banner motd	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
bfd all-interfaces	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5	bfd all-interfaces	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
bgp client-to-client reflection	Cisco IOS 11.1 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5	bgp client-to-client reflection	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
bgp cluster-id	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; ; IOS XE 3.5	bgp cluster-id	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
bgp confederation identifier	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; ; IOS XE 3.5	bgp confederation identifier	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
bgp confederation peers	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; ; IOS XE 3.5; NX-OS 4.0 through 6.2	bgp confederation peers	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
bgp listen limit	Cisco IOS 12.2 through 15.4; ; IOS XE 3.5	bgp listen limit	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
bgp log-neighbor-changes	Cisco IOS 11.1 through 15.4; IOS XR 3.0 through 3.5; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	bgp log-neighbor-changes	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
bgp redistribute-internal	Cisco IOS 12.1 through 15.4; IOS XR 3.0 through 5.2; ; IOS XE 3.5	bgp redistribute-internal (BGP)	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
boot system	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	boot system	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
channel-group	Cisco IOS 11.3 through 15.4; IOS XR 4.3 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	channel-group	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
class-map type control-plane	NX-OS 4.0 through 6.2	class-map type control-plane	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
clear arp-cache	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	clear arp-cache	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
clear counters	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	clear counters	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
clear ip arp	NX-OS 4.0 through 6.2	clear ip arp	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
clear ip bgp	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	clear ip bgp	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
clear ip igmp group	Cisco IOS 11.0 through 15.4; IOS XE 3.5	clear ip igmp group	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
clear ip mroute	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	clear ip mroute	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
clear ip msdp sa-cache	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	clear ip msdp sa-cache	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
clear ip nat translation	Cisco IOS 11.2 through 15.4; IOS XE 3.5	clear ip nat translation	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
clear ip ospf neighbor	Cisco IOS 11.1 through 15.4; NX-OS 4.0 through 6.2	clear ip ospf neighbor	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
clear ipv6 neighbors	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	clear ipv6 neighbors	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
clear ipv6 ospf force-spf	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	clear ipv6 ospf force-spf	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
clear lldp counters	Cisco IOS 12.2 through 15.4; IOS XR 5.2; IOS XE 3.5	clear lldp counters	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
clear lldp table	Cisco IOS 12.2 through 15.4; IOS XR 5.2; IOS XE 3.5	clear lldp table	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
clear mac-address-table dynamic	Cisco IOS 12.2 through 15.0; NX-OS 4.0 through 6.2	clear mac address-table dynamic	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
clear spanning-tree counters	NX-OS 4.0 through 6.2	clear spanning-tree counters	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
clock set	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	clock set	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
clock timezone	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	clock timezone	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
control-plane	Cisco IOS 12.2 through 15.4; IOS XR 3.5 through 5.2; IOS XE 2.1 through 3.5; NX-OS 6.2	control-plane	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
default-information originate (OSPF)	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	default-information originate (OSPFv2)	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
default-information originate (OSPFv3)	Cisco IOS 15.1 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	default-information originate (OSPFv3)	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
default-metric	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	default-metric	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
default-metric (OSPFv3)	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1; NX-OS 4.0 through 6.2	default-metric (OSPFv3)	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
distance bgp	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	distance bgp	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
domain-id	Cisco IOS 12.1 through 15.4; IOS XR 3.3 through 5.2; IOS XE 3.5	domain-id	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
dot1x max-reauth-req	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	dot1x max-reauth-req	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
dot1x pae authenticator	Cisco IOS 12.4 through 15.4; IOS XE 3.5; NX-OS 5.0 through 6.2	dot1x pae authenticator	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
dot1x port-control	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	dot1x port-control	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
dot1x reauthentication	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	dot1x reauthentication	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
dot1x system-auth-control	Cisco IOS 12.4 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	dot1x system-auth-control	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
dot1x timeout quiet-period	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	dot1x timeout quiet-period	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
dot1x timeout reauth-period	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	dot1x timeout reauth-period	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
dot1x timeout tx-period	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	dot1x timeout tx-period	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
enable secret	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	enable secret	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
erase startup-config	Cisco IOS 11.0 through 15.4; IOS XE 2.1;	erase startup-config	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
errdisable detect cause link-flap	Cisco IOS 12.2 through 15.4	errdisable detect cause link-flap	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
errdisable recovery cause	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	errdisable recovery cause	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
errdisable recovery interval	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	errdisable recovery interval	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
flowcontrol receive	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	flowcontrol receive	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
flowcontrol send	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	flowcontrol send	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
interface ethernet	IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	interface ethernet	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
interface loopback	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	interface loopback	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
interface port-channel	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	interface port-channel	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
interface vlan	Cisco IOS 11.3 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	interface vlan	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
ip access-group	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip access-group	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip access-list	Cisco IOS 11.2 through 15.4; IOS XR 3.0 through 3.3; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip access-list	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip access-list standard	Cisco IOS 11.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 6.2	ip access-list standard	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip address	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip address	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip as-path access-list	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 3.3; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip as-path access-list	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
ip community-list expanded	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip community-list expanded	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip community-list standard	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip community-list standard	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip dhcp smart-relay	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 5.2 through 6.2	ip dhcp smart-relay	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip dhcp smart-relay global	IOS XE 3.5; NX-OS 5.2 through 6.2	ip dhcp smart-relay global	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip dhcp snooping	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip dhcp snooping	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip dhcp snooping information option	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip dhcp snooping information option	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip dhcp snooping vlan	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip dhcp snooping vlan	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip domain lookup	Cisco IOS 11.0 through 15.4; IOS XR 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip domain lookup	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
ip domain name	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip domain-name	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip extcommunity-list expanded	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 5.0 through 6.2	ip extcommunity-list expanded	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip extcommunity-list standard	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 5.0 through 6.2	ip extcommunity-list standard	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip helper-address	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	ip helper-address	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip host	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip host	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
ip http client source-interface	Cisco IOS 12.4 through 15.4; IOS XE 2.1 through 3.5	ip http client source-interface	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip icmp redirect	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ip icmp redirect	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip igmp last-member-query-count	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip igmp last-member-query-count	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip igmp last-member-query-interval	Cisco IOS 12.1 through 15.4; IOS XE 3.5	ip igmp last-member-query-interval	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip igmp query-interval	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip igmp query-interval	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
ip igmp query-max-response-time	Cisco IOS 11.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip igmp query-max-response-time	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip igmp snooping	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip igmp snooping	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip igmp snooping querier	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip igmp snooping querier	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip igmp snooping vlan	Cisco IOS 12.0 through 15.4; IOS XE 3.5	ip igmp snooping vlan	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
ip igmp snooping vlan immediate-leave	Cisco IOS 12.0 through 15.4; IOS XE 3.5	ip igmp snooping vlan immediate-leave	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip igmp snooping vlan mrouter	Cisco IOS 12.0 through 15.4; IOS XE 3.5	ip igmp snooping vlan mrouter	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip igmp snooping vlan static	Cisco IOS 12.0 through 15.4; IOS XE 3.5	ip igmp snooping vlan static	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip igmp startup-query-count	NX-OS 4.0 through 6.2	ip igmp startup-query-count	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
ip igmp startup-query-interval	NX-OS 4.0 through 6.2	ip igmp startup-query-interval	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip igmp static-group	Cisco IOS 11.2 through 15.4; IOS XE 3.5	ip igmp static-group	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip igmp version	Cisco IOS 11.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip igmp version	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip load-sharing	Cisco IOS 11.2 through 15.4; IOS XE 2.1 through 3.5	ip load-sharing	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip local-proxy-arp	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip local-proxy-arp	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
ip msdp cache-sa-state	Cisco IOS 12.0 through 15.4; IOS XE 3.5	ip msdp cache-sa-state	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip msdp default-peer	Cisco IOS 12.0 through 15.4; IOS XE 3.5	ip msdp default-peer	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip msdp description	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip msdp description	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip msdp group-limit	NX-OS 4.0 through 6.2	ip msdp group-limit	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip msdp keepalive	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip msdp keepalive	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
ip msdp mesh-group	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip msdp mesh-group	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip msdp originator-id	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip msdp originator-id	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip msdp peer	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip msdp peer	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip msdp sa-filter in	Cisco IOS 12.0 through 15.4; IOS XE 3.5	ip msdp sa-filter in	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip msdp sa-filter out	Cisco IOS 12.0 through 15.4; IOS XE 3.5;	ip msdp sa-filter out	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
ip msdp sa-limit	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip msdp sa-limit	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip msdp shutdown	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip msdp shutdown	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip msdp timer	Cisco IOS 12.1 through 15.4; IOS XE 3.5	ip msdp timer	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip multicast boundary	Cisco IOS 11.1 through 15.4; IOS XE 3.5	ip multicast boundary	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip multicast-routing	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	ip multicast-routing	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
ip name-server	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip name-server	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip nat pool	Cisco IOS 11.2 through 15.4; IOS XE 3.5	ip nat pool	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip nat translation tcp-timeout	Cisco IOS 11.2 through 15.4; IOS XE 3.5	ip nat translation tcp-timeout	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip nat translation udp-timeout	Cisco IOS 11.2 through 15.4; IOS XE 3.5	ip nat translation udp-timeout	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip ospf authentication	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf authentication	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
ip ospf authentication-key	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf authentication-key	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip ospf bfd	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	ip ospf bfd	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip ospf cost	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 3.3; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf cost	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip ospf dead-interval	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf dead-interval	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip ospf hello-interval	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf hello-interval	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
ip ospf message-digest-key	Cisco IOS 11.0 through 15.4; IOS XR 3.0; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf message-digest-key	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip ospf name-lookup	Cisco IOS 11.0 through 15.4; IOS XE 3.5	ip ospf name-lookup	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip ospf network point-to-point	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf network point-to-point	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip ospf priority	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf priority	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip ospf retransmit-interval	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf retransmit-interval	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
ip ospf shutdown	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf shutdown	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip ospf transmit-delay	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip ospf transmit-delay	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip pim anycast-rp	NX-OS 4.0 through 6.2	ip pim anycast-rp	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip pim bfd	Cisco IOS 15.4; NX-OS 5.0 through 6.2	ip pim bfd	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip pim bfd-instance	NX-OS 5.0 through 6.2	ip pim bfd-instance	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
ip pim bsr-border	Cisco IOS 11.3 through 15.4; IOS XE 3.5	ip pim bsr-border	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip pim bsr-candidate	Cisco IOS 11.3 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip pim bsr-candidate	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip pim dr-priority	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip pim dr-priority	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip pim log-neighbor-changes	Cisco IOS 12.4 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip pim log-neighbor-changes	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip pim neighbor-filter	Cisco IOS 11.3 through 15.4; IOS XE 3.5	ip pim neighbor-filter	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
ip pim query-interval	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5;	ip pim query-interval	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip pim register-source	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 6.2	ip pim register-source	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip pim rp-address	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	ip pim rp-address	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip pim rp-candidate	Cisco IOS 11.3 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip pim rp-candidate	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip pim sparse-mode	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	ip pim sparse-mode	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
ip pim spt-threshold	Cisco IOS 11.1 through 15.4; IOS XR 3.0; IOS XE 3.5	ip pim spt-threshold	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip pim spt-threshold group-list	Cisco IOS 11.1 through 15.4	ip pim spt-threshold group-list	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip pim ssm range	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip pim ssm range	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip prefix-list	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 3.3; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip prefix-list	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip protocol	Cisco IOS 12.0 through 15.4	ip protocol (Monitor Reachability Probe Transmitter)	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip proxy-arp	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	ip proxy-arp	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
ip radius source-interface	Cisco IOS 11.3 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	ip radius source-interface	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip rip v2-broadcast	Cisco IOS 12.1 through 15.4; IOS XE 3.5	ip rip v2-broadcast	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip route	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip route	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip routing	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ip routing	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ip tacacs source-interface	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	ip tacacs source-interface	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
ipv6 ipv6 access-group	Cisco IOS 12.4 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	ipv6 access-group	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 access-list	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	ipv6 access-list	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 address	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 address	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 dhcp relay destination	Cisco IOS 12.4 through 15.4; IOS XE 2.1 through 3.5	ipv6 dhcp relay destination	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 enable	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	ipv6 enable	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
ipv6 host	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	ipv6 host	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 nd managed-config-flag	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 nd managed-config-flag	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 nd ns-interval	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 nd ns-interval	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 nd other-config-flag	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 nd other-config-flag	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 nd prefix	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 5.2 through 6.2	ipv6 nd prefix	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
ipv6 nd ra interval	Cisco IOS 12.4 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 nd ra interval	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 nd ra lifetime	Cisco IOS 12.4 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 nd ra lifetime	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 nd ra suppress	Cisco IOS 12.4 through 15.4; IOS XE 2.1 through 3.5	ipv6 nd ra suppress	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 nd reachable-time	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 nd reachable-time	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 nd router-preference	Cisco IOS 12.4 through 15.4; IOS XE 2.1 through 3.5	ipv6 nd router-preference	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
ipv6 neighbor	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 neighbor	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 ospf area	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ipv6 ospf area	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 ospf cost	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ipv6 ospf cost	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 ospf dead-interval	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ipv6 ospf dead-interval	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 ospf hello-interval	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ipv6 ospf hello-interval	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
ipv6 ospf network	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ipv6 ospf network	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 ospf priority	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ipv6 ospf priority	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 ospf retransmit-interval	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ipv6 ospf retransmit-interval	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 ospf transmit-delay	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ipv6 ospf transmit-delay	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 prefix-list	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 prefix-list	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
ipv6 route	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ipv6 route	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 router ospf	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	ipv6 router ospf	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ipv6 unicast-routing	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 6.2	ipv6 unicast-routing	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
isis hello-interval	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	isis hello-interval	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
isis hello-multiplier	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	isis hello-multiplier	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
isis lsp-interval	Cisco IOS 11.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	isis lsp-interval	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
isis metric	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	isis metric	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
isis passive	NX-OS 4.0 through 6.2	isis passive	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
isis priority	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	isis priority	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
is-type	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	is-type	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
lACP port-priority	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	lACP port-priority	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
lACP rate	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 5.2 through 6.2	lACP rate	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
lacp system-priority	Cisco IOS 12.1 through 15.4; IOS XR 4.3 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	lacp system-priority	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
link state group	Cisco IOS 15.1 through 15.4; IOS XE 3.5	link state group	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
link state track	Cisco IOS 15.1 through 15.4; IOS XE 3.5	link state track	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
lldp holdtime	Cisco IOS 12.2 through 15.4; IOS XR 5.2; IOS XE 3.5; NX-OS 5.0 through 6.2	lldp holdtime	EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
lldp receive	Cisco IOS 12.2 through 15.4; NX-OS 5.0 through 6.2	lldp receive	EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
lldp reinit	Cisco IOS 12.2 through 15.4; IOS XR 5.2; NX-OS 5.0 through 6.2	lldp reinit	EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
lldp run	Cisco IOS 12.2 through 15.4	lldp run	EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
lldp timer	Cisco IOS 12.2 through 15.4; IOS XR 5.2; IOS XE 3.5; NX-OS 5.0 through 6.2	lldp timer	EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
lldp tlv-select	Cisco IOS 12.2 through 15.4; IOS XR 5.2; NX-OS 5.0 through 6.2	lldp tlv-select	EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
lldp transmit	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 5.0 through 6.2	lldp transmit	EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
load interval	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 5.2 through 6.2	load interval	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
log-adjacency-changes (IS-IS)	IOS XR 3.0 through 5.2; NX-OS 4.0 through 6.2	log-adjacency-changes (IS-IS)	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
log-adjacency-changes	Cisco IOS 12.1 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 5.2	log-adjacency-changes (OSPFv2)	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
log-adjacency-changes (OSPFv3)	Cisco IOS 15.1 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	log-adjacency-changes (OSPFv3)	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
logging host	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	logging host	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
mac access-group	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	mac access-group	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
mac access-list	NX-OS 4.0 through 6.2	mac access-list	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
mac address-table aging-time	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	mac address-table aging-time	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
mac address-table static	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	mac address-table static	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
mac-address	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 6.2	mac-address	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
maximum-paths	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	maximum-paths (OSPFv2)	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
maximum-paths (OSPFv3)	Cisco IOS 15.1 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	maximum-paths (OSPFv3)	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
neighbor activate	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5	neighbor activate	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
neighbor allowas-in	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	neighbor allowas-in	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
neighbor default-originate	Cisco IOS 11.0 through 15.4; IOS XE 3.5	neighbor default-originate	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
neighbor description	Cisco IOS 11.3 through 15.4; IOS XE 3.5	neighbor description	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
neighbor ebgp-multihop	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0	neighbor ebgp-multihop	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
neighbor fall-over bfd	Cisco IOS 12.2 through 15.4; IOS XE 3.5	neighbor fall-over bfd	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
neighbor local-as	Cisco IOS 12.0 through 15.4; IOS XE 3.5	neighbor local-as	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
neighbor next-hop-self	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	neighbor next-hop-self	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
neighbor password	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5	neighbor password	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
neighbor peer-group (creating)	Cisco IOS 11.0 through 15.4; IOS XE 3.5	neighbor peer-group (create)	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
neighbor peer-group (assigning members)	Cisco IOS 11.0 through 15.4; IOS XE 3.5	neighbor peer-group (neighbor assignment)	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
neighbor remote-as	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	neighbor remote-as	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
neighbor remove-private-as	Cisco IOS 11.0 through 15.4; IOS XE 3.5	neighbor remove-private-as	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
neighbor route-map	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	neighbor route-map (BGP)	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
neighbor route-reflector-client	Cisco IOS 11.1 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	neighbor route-reflector-client	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
neighbor send-community	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0	neighbor send-community	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
neighbor shutdown	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	neighbor shutdown	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
neighbor soft-reconfiguration	Cisco IOS 11.2 through 15.4; IOS XE 3.5	neighbor soft-reconfiguration	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
neighbor timers	Cisco IOS 12.0 through 15.4; IOS XE 3.5	neighbor timers	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
neighbor transport connection-mode	Cisco IOS 12.4 through 15.4	neighbor transport connection-mode	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
neighbor update-source	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0	neighbor update-source	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
neighbor weight	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	neighbor weight	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
network area	Cisco IOS 11.0 through 15.4; IOS XR 3.0; IOS XE 3.5	network area (OSPFv2)	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
no snmp-server	Cisco IOS 11.0 through 15.4; IOS XR 5.2; IOS XE 2.1 through 3.5	no snmp-server	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ntp authenticate	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	ntp authenticate	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
ntp authentication-key	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	ntp authentication-key	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ntp server	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	ntp server	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ntp source	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	ntp source	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ntp trusted-key	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	ntp trusted-key	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
passive-interface default	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 6.2	passive-interface default (OSPFv2)	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
passive-interface	Cisco IOS 11.0 through 15.4; NX-OS 5.2 through 6.2	passive-interface <interface> (OSPFv2)	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
isis passive interface	NX-OS 6.2	passive-interface (IS-IS)	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
passive-interface (OSPFv3)	Cisco IOS 15.1 through 15.4; IOS XE 3.5	passive-interface (OSPFv3)	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
policy-map type control-plane	NX-OS 4.0 through 6.2	policy-map type control-plane	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
policy-map type qos	IOS XR 5.2; NX-OS 4.0 through 6.2	policy-map type qos	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
port-channel load-balance	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 5.2 through 6.2	port-channel load-balance	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
port-channel min-links	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 6.2	port-channel min-links	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
priority-flow-control mode	NX-OS 5.2 through 6.2	priority-flow-control mode	EOS v. 4.4.0, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
private-vlan	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	private-vlan	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
private-vlan mapping	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	private-vlan mapping	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
ptp domain	NX-OS 5.2 through 6.2	ptp domain	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
priority1	Cisco IOS 15.0 through 15.4; IOS XR 4.3 through 5.2; IOS XE 3.5; NX-OS 5.2 through 6.2	ptp priority1	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
priority2	Cisco IOS 15.0 through 15.4; IOS XR 4.3 through 5.2; IOS XE 3.5; NX-OS 5.2 through 6.2	ptp priority2	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
ptp sync interval	NX-OS 5.2 through 6.2	ptp sync interval	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
radius-server deadtime	Cisco IOS 11.1 through 15.4; IOS XR 3.3 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	radius-server deadtime	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
radius-server host	Cisco IOS 11.1 through 15.4; IOS XR 4.3 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	radius-server host	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
radius-server key	Cisco IOS 11.1 through 15.4; IOS XR 3.2 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	radius-server key	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
radius-server retransmit	Cisco IOS 11.1 through 15.4; IOS XR 3.2 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	radius-server retransmit	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
radius-server timeout	Cisco IOS 11.1 through 15.4; IOS XR 3.2 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	radius-server timeout	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
redundancy force-switchover	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	redundancy force-switchover	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
route-map	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 3.3; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	route-map	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
router bgp	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	router bgp	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
router isis	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	router isis	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
router ospf	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	router ospf	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
router rip	Cisco IOS 11.0 through 15.4; IOS XR 3.3 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	router rip	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
router-id	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	router-id (OSPFv2)	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
router-id (OSPFv3)	Cisco IOS 15.1 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	router-id (OSPFv3)	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
routing-context vrf	Cisco IOS 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	routing-context vrf	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
service sequence-numbers	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5	service sequence-numbers	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
set-overload-bit	Cisco IOS 11.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	set-overload-bit	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
show aaa method-lists	Cisco IOS 12.2 through 15.4; IOS XE 3.5	show aaa method-lists	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show aaa sessions	Cisco IOS 15.2 through 15.4; IOS XE 3.5	show aaa sessions	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show arp	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show arp	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show bfd neighbors	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 6.2	show bfd neighbors	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show clock	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show clock	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
show dot1q-tunnel	Cisco IOS 12.2 through 15.4; NX-OS 5.0 through 6.2	show dot1q-tunnel	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show dot1x	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show dot1x	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show dot1x all summary	Cisco IOS 12.1 through 15.4; NX-OS 4.0 through 6.2	show dot1x all summary	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show dot1x statistics	Cisco IOS 12.2 through 15.4; IOS XE 3.5	show dot1x statistics	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show environment all	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1	show environment all	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show environment cooling	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5	show environment cooling	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
show environment power	IOS XR 3.0 through 5.2; NX-OS 5.0 through 6.2	show environment power	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show environment temperature	Cisco IOS 11.2 through 12.1; IOS XR 3.0 through 5.2; IOS XE 2.1	show environment temperature	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show etherchannel	Cisco IOS 12.0 through 15.4; IOS XE 3.5	show etherchannel	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show interfaces flowcontrol	IOS 12.2 through 15.4; IOS XE 3.5	show flowcontrol	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show hostname	NX-OS 4.0 through 6.2	show hostname	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
show hosts	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show hosts	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show interfaces	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show interfaces	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show interfaces capabilities	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show interfaces capabilities	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show interfaces description	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 6.2	show interfaces description	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show interfaces private-vlan mapping	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 6.2	show interfaces private-vlan mapping	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
show interfaces status	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 6.2	show interfaces status	EOS v. 4.0.1, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show interfaces switchport	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 6.2	show interfaces switchport	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show interfaces switchport backup	Cisco IOS 12.2 through 15.4; IOS XE 3.5	show interfaces switchport backup	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show interfaces transceiver	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 6.2	show interfaces transceiver	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show interfaces trunk	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 6.2	show interfaces trunk	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
show inventory	Cisco IOS 12.4 through 15.4; IOS XR 3.3 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show inventory	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip access-lists	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip access-lists	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip arp	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip arp	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip bgp	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 3.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ip bgp	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip bgp community	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip bgp community	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
show ip bgp neighbors	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ip bgp neighbors	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip bgp neighbors	Cisco IOS 11.0 through 15.4; IOS XE 3.5	show ip bgp neighbors (route type)	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip bgp paths	Cisco IOS 11.0 through 15.4; IOS XE 3.5	show ip bgp paths	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip bgp peer-group	Cisco IOS 11.0 through 15.4; IOS XE 3.5	show ip bgp peer-group	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip bgp regexp	Cisco IOS 11.0 through 15.4; IOS XE 3.5	show ip bgp regexp	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
show ip bgp summary	Cisco IOS 11.0 through 15.4; IOS XE 3.5	show ip bgp summary	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip community-list	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip community-list	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip dhcp snooping	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip dhcp snooping	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip extcommunity-list	Cisco IOS 12.1 through 15.4; IOS XE 3.5; NX-OS 6.2	show ip extcommunity-list	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip helper-address	Cisco IOS 12.4 through 15.4; IOS XE 3.5	show ip helper-address	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
show ip igmp groups	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip igmp groups	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip igmp interface	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip igmp interface	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip igmp snooping	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip igmp snooping	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip igmp snooping groups	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip igmp snooping groups	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
show ip igmp snooping mrouter	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip igmp snooping mrouter	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip igmp snooping querier	Cisco IOS 12.4 through 15.4; NX-OS 4.0 through 6.2	show ip igmp snooping querier	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip interface	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ip interface	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip interface brief	Cisco IOS 12.4 through 15.4; IOS XR 3.4 through 5.2; IOS XE 3.5	show ip interface brief	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
show ip mfib	Cisco IOS 15.0 through 15.4; IOS XE 2.1 through 3.5	show ip mfib	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip mroute	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip mroute	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip mroute count	Cisco IOS 11.0 through 15.4; IOS XE 3.5	show ip mroute count	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip msdp mesh-group	NX-OS 4.0 through 6.2	show ip msdp mesh-group	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip msdp peer	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip msdp peer	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
show ip msdp rpf-peer	Cisco IOS 12.4 through 15.4; IOS XE 3.5	show ip msdp rpf-peer	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip msdp sa-cache	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip msdp sa-cache	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip msdp summary	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip msdp summary	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip nat translations	Cisco IOS 11.2 through 15.4; IOS XE 3.5	show ip nat translations	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip ospf	Cisco IOS 11.0 through 15.4; IOS XR 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ip ospf	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
show ip ospf border-routers	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip ospf border-routers	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip ospf database database-summary	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip ospf database database-summary	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip ospf interface	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip ospf interface	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip ospf neighbor	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ip ospf neighbor	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
show ip ospf request-list	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip ospf request-list	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip ospf retransmission-list	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip ospf retransmission-list	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip pim interface	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ip pim interface	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip pim neighbor	Cisco IOS 11.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ip pim neighbor	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
show ip pim rp	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip pim rp	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip pim rp-hash	Cisco IOS 11.3 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip pim rp-hash	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip prefix-list	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ip prefix-list	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip rip database	Cisco IOS 12.0 through 15.4; IOS XE 3.5	show ip rip database	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip rip neighbors	Cisco IOS 15.1 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip rip neighbors	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
show ip route	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip route	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip route summary	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show ip route summary	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ip route tag	Cisco IOS 15.2 through 15.4	show ip route tag	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ipv6 access-list	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	show ipv6 access-list	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ipv6 bgp	NX-OS 4.0 through 6.2	show ipv6 bgp	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
show ipv6 bgp community	Cisco IOS 12.2; NX-OS 4.0 through 6.2	show ipv6 bgp community	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ipv6 bgp neighbors	NX-OS 4.0 through 6.2	show ipv6 bgp neighbors	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ipv6 bgp summary	NX-OS 4.0 through 6.2	show ipv6 bgp summary	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ipv6 interface	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ipv6 interface	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ipv6 neighbors	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ipv6 neighbors	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
show ipv6 ospf	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5	show ipv6 ospf	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ipv6 ospf border-routers	Cisco IOS 12.2; IOS XE 2.1 through 3.5	show ipv6 ospf border-routers	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ipv6 ospf interface	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5	show ipv6 ospf interface	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ipv6 ospf neighbor	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5	show ipv6 ospf neighbor	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ipv6 prefix-list	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ipv6 prefix-list	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
show ipv6 route	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show ipv6 route	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ipv6 route summary	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 5.2	show ipv6 route summary	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ipv6 route tag	Cisco IOS 15.2 through 15.4	show ipv6 route tag	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show isis database	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show isis database	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show isis interface	IOS XR 3.0 through 5.2; NX-OS 4.0 through 6.2	show isis interface	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show isis topology	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show isis topology	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
show lacp counters	IOS XR 3.2 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show lacp counters	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show lacp interface	NX-OS 4.0 through 6.2	show lacp interface	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show lacp neighbor	NX-OS 4.0 through 6.2	show lacp neighbor	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show link state group	Cisco IOS 15.1 through 15.4; IOS XE 3.5	show link state group	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show lldp	Cisco IOS 12.2 through 15.4; IOS XR 4.3 through 5.2; IOS XE 3.5	show lldp	EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
show lldp neighbors	Cisco IOS 15.4; IOS XR 4.3 through 5.2; IOS XE 3.5; NX-OS 5.0 through 6.2	show lldp neighbors	EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show lldp traffic	Cisco IOS 15.4; IOS XR 4.3 through 5.2; IOS XE 3.5; NX-OS 5.0 through 6.2	show lldp traffic	EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show mac access-list	Cisco IOS 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show mac access-list	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show mac address-table	Cisco IOS 11.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show mac address-table	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show mac address-table aging time	Cisco IOS 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show mac address-table aging time	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
show mac address-table count	IOS XE 3.5; NX-OS 4.0 through 6.2	show mac address-table count	EOS v. 4.0.1, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show module	Cisco IOS 12.2 through 15.4; IOS XR 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show module	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show monitor session	Cisco IOS 12.2 through 15.0; IOS XR 5.2; IOS XE 2.1; NX-OS 4.0 through 6.2	show monitor session	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ntp associations	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	show ntp associations	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
show ntp status	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 5.0 through 6.2	show ntp status	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show policy-map control-plane	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show policy-map type control-plane	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show policy-map interface	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 6.2	show policy-map interface type qos	EOS v. 4.11.1.2, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show policy-map interface control-plane	NX-OS 5.0 through 6.2	show policy-map interface control-plane	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show port-channel summary	NX-OS 4.0 through 6.2	show port-channel summary	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show port-channel traffic	NX-OS 4.0 through 6.2	show port-channel traffic	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
show port-security	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show port-security	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show port-security address	Cisco IOS 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show port-security address	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show port-security interface	IOS XE 3.5; NX-OS 4.0 through 6.2	show port-security interface	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show privilege	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 6.2	show privilege	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ptp clock	NX-OS 5.2 through 6.2	show ptp clock	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
show ptp parent	NX-OS 5.2 through 6.2	show ptp parent	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show ptp time-property	NX-OS 5.2 through 6.2	show ptp time-property	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show radius	IOS XR 3.2 through 5.2; NX-OS 4.0 through 6.2	show radius	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show redundancy states	Cisco IOS 12.2 through 15.4; IOS XR 5.2; IOS XE 3.5	show redundancy states	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show reload	Cisco IOS 11.0 through 15.4; IOS XE 2.1	show reload	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
show role	NX-OS 4.0 through 6.2	show role	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show route-map	Cisco IOS 11.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show route-map	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show snmp	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show snmp	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show snmp chassis	Cisco IOS 12.4 through 15.4; IOS XE 3.5	show snmp chassis	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show snmp community	Cisco IOS 12.4 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	show snmp community	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
show snmp contact	Cisco IOS 12.4 through 15.4; IOS XE 3.5	show snmp contact	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show snmp engineID	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show snmp engineID	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show snmp group	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show snmp group	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show snmp host	Cisco IOS 12.4 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show snmp host	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show snmp location	Cisco IOS 12.4 through 15.4; IOS XE 3.5	show snmp location	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
show snmp mib	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5	show snmp mib	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show snmp source-interface	NX-OS 5.0 through 6.2	show snmp source-interface	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show snmp trap	NX-OS 4.0 through 6.2	show snmp trap	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show snmp user	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show snmp user	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show snmp view	Cisco IOS 12.4 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5	show snmp view	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
show spanning-tree	Cisco IOS 12.0 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show spanning-tree	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show spanning-tree blockedports	NX-OS 6.2	show spanning-tree blockedports	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show spanning-tree bridge	NX-OS 4.0 through 6.2	show spanning-tree bridge	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show spanning-tree interface	NX-OS 4.0 through 6.2	show spanning-tree interface	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
show spanning-tree mst	Cisco IOS 12.2 through 15.4; IOS XR 4.3 through 5.2; IOS XE 2.1; NX-OS 4.0 through 6.2	show spanning-tree mst	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show spanning-tree mst configuration	Cisco IOS 15.4; IOS XR 4.3 through 5.2; IOS XE 2.1; NX-OS 4.0 through 6.2	show spanning-tree mst configuration	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show spanning-tree mst interface	IOS XR 4.3 through 5.2; NX-OS 6.2	show spanning-tree mst interface	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show spanning-tree root	NX-OS 4.0 through 6.2	show spanning-tree root	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show storm-control	Cisco IOS 12.2 through 15.4; IOS XE 3.5	show storm-control	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
show tacacs	Cisco IOS 11.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show tacacs	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show track	Cisco IOS 12.2 through 15.4; IOS XR 4.3 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show track	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show user-account	NX-OS 4.0 through 6.2	show user-account	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show users	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show users	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
show version	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show version	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show vlan	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show vlan	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show vlan private-vlan	NX-OS 4.0 through 6.2	show vlan private-vlan	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show vlan summary	NX-OS 6.2	show vlan summary	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
show vrf	Cisco IOS 12.2 through 15.4; IOS XR 3.5 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	show vrf	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
show vrrp	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	show vrrp	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
snmp trap link-status	Cisco IOS 11.0 through 15.4; IOS XR 5.2; IOS XE 2.1 through 3.5	snmp trap link-status	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
snmp-server chassis-id	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5	snmp-server chassis-id	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
snmp-server community	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	snmp-server community	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
snmp-server contact	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	snmp-server contact	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
snmp-server enable traps	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	snmp-server enable traps	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
snmp-server engineID local	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	snmp-server engineID local	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
snmp-server engineID remote	Cisco IOS 12.1 through 15.4; IOS XR 4.3 through 5.2; IOS XE 2.1 through 3.5	snmp-server engineID remote	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
snmp-server group	Cisco IOS 11.3 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	snmp-server group	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
snmp-server host	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	snmp-server host	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
snmp-server location	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	snmp-server location	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
snmp-server source-interface	Cisco IOS 12.2 through 15.4; IOS XE 2.1; NX-OS 5.0 through 6.2	snmp-server source-interface	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
snmp-server user	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	snmp-server user	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
snmp-server view	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	snmp-server view	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
spanning-tree bpdupfilter	Cisco IOS 12.2 through 15.4; NX-OS 4.0 through 6.2	spanning-tree bpdupfilter	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
spanning-tree bpduguard	Cisco IOS 12.2; NX-OS 4.0 through 6.2	spanning-tree bpduguard	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
spanning-tree bridge assurance	NX-OS 4.0 through 6.2	spanning-tree bridge assurance	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
spanning-tree cost	Cisco IOS 12.0 through 15.4; NX-OS 4.0 through 6.2	spanning-tree cost	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
spanning-tree guard	Cisco IOS 12.2; NX-OS 4.0 through 6.2	spanning-tree guard	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
spanning-tree link-type	Cisco IOS 12.2; NX-OS 4.0 through 6.2	spanning-tree link-type	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
spanning-tree loopguard default	Cisco IOS 12.2; NX-OS 4.0 through 6.2	spanning-tree loopguard default	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
spanning-tree mode	Cisco IOS 12.2 through 15.4; NX-OS 4.0 through 6.2	spanning-tree mode	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
spanning-tree mst configuration	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	spanning-tree mst configuration	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
spanning-tree portfast bpdupfilter default	Cisco IOS 12.2	spanning-tree portfast bpdupfilter default	EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
spanning-tree portfast bpduguard default	Cisco IOS 12.2	spanning-tree portfast bpduguard default	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
spanning-tree port-priority	Cisco IOS 12.0 through 15.4; NX-OS 4.0 through 6.2	spanning-tree port-priority	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
spanning-tree transmit hold-count	Cisco IOS 12.2	spanning-tree transmit hold-count	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
spanning-tree vlan	Cisco IOS 12.0 through 15.4; IOS XE 2.1; NX-OS 4.0 through 6.2	spanning-tree vlan	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
spf-interval	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	spf-interval	EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
statistics per-entry	NX-OS 4.0 through 6.2	statistics per-entry (ACL configuration modes)	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
storm-control	Cisco IOS 12.2 through 15.4; IOS XR 4.3 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	storm-control	EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
switchport access vlan	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	switchport access vlan	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
switchport backup interface	Cisco IOS 12.2 through 15.4	switchport backup interface	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
switchport mode	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	switchport mode	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
switchport port-security	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	switchport port-security	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
switchport port-security maximum	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	switchport port-security maximum	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
switchport private-vlan mapping	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	switchport private-vlan mapping	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
switchport trunk allowed vlan	Cisco IOS 12.2 through 15.4; IOS XE 3.5; NX-OS 4.0 through 6.2	switchport trunk allowed vlan	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
switchport trunk native vlan	Cisco IOS 12.2 through 15.4; NX-OS 4.0 through 6.2	switchport trunk native vlan	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
switchport vlan mapping	Cisco IOS 12.2 through 15.4; IOS XE 3.5;	switchport vlan mapping	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
tacacs-server host	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	tacacs-server host	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
tacacs-server key	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	tacacs-server key	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
tacacs-server timeout	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	tacacs-server timeout	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
terminal length	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	terminal length	EOS v. 4.0.1, EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
terminal monitor	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	terminal monitor	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
timers basic (RIP)	Cisco IOS 11.0 through 15.4; IOS XR 3.3 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	timers basic (RIP)	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
timers bgp	Cisco IOS 11.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5; NX-OS 4.0 through 6.2	timers bgp	EOS v. 4.4.0, EOS v. 4.6.2, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
timers lsa arrival	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	timers lsa arrival (OSPFv2)	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
timers throttle lsa all	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5	timers throttle lsa all (OSPFv2)	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
timers throttle spf	Cisco IOS 12.2 through 15.4; IOS XR 3.0 through 5.2; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	timers throttle spf (OSPFv2)	EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F
username sshkey	NX-OS 4.0 through 6.2	username sshkey	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
vlan internal allocation policy	Cisco IOS 12.2	vlan internal allocation policy	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
vrf definition	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 4.0 through 6.2	vrf definition	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
vrf forwarding	Cisco IOS 12.2 through 15.4; IOS XE 2.1 through 3.5; NX-OS 6.2	vrf forwarding	EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
vrrp authentication	Cisco IOS 12.0 through 15.4; IOS XE 3.5; NX-OS 6.2	vrrp authentication	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
vrrp delay reload	Cisco IOS 15.1 through 15.4; IOS XR 3.4 through 5.2; IOS XE 3.5	vrrp delay reload	EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
vrrp description	Cisco IOS 12.0 through 15.4; IOS XE 3.5	vrrp description	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
vrrp ip	Cisco IOS 12.0 through 15.4; IOS XR 5.2; IOS XE 3.5	vrrp ip	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
vrrp ip secondary	IOS 12.0 through 15.4; IOS XE 3.5	vrrp ip secondary	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
vrrp preempt	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5	vrrp preempt	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
vrrp priority	Cisco IOS 12.0 through 15.4; IOS XR 3.0 through 5.2; IOS XE 3.5	vrrp priority	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F
vrrp shutdown	Cisco IOS 12.4 through 15.4; IOS XE 3.5	vrrp shutdown	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F

INTERROGATORY NO. 2 FIRST SUPPLEMENTAL RESPONSE – EXHIBIT B

Cisco CLI Command Expression	Copyrighted Work(s) in Which Cisco's CLI Command Expression Appears	Substantially Similar Arista CLI Command Expression	Infringing Work(s) in Which Command Expression Appears
vrrp timers advertise	Cisco IOS 12.0 through 15.4; IOS XE 3.5	vrrp timers advertise	EOS v. 4.4.0, EOS v. 4.10.0, EOS v. 4.11.1.2, EOS v. 4.11.2.1, EOS v. 4.12.4, EOS v. 4.13.6F, EOS v. 4.13.7M, EOS v. 4.14.3F, EOS v. 4.14.5F, EOS v. 4.14.6M, EOS v. 4.15.0F